

# Lakeside Union School District E-Rate 2026-2027 Category 2 RFP 470: 260001128

Please Mail Hardcopy Response To:

Brian Beisigl  
12335 Woodside Ave.  
Lakeside, CA 92040

PLEASE RESPOND BY:

2:00pm PST on January 16, 2026

## SCOPE & CONDITIONS

This is a request for the following equipment **with installation**. Quantities are approximate and may be altered.

PRODUCT NAME (OR EQUIVALENT)	MODEL NUMBER (OR EQUIVALENT)	LOCATION	QTY	UNIT ERATE ELIGIBLE COST	EXTENDED ERATE ELIGIBLE COST
APC Smart-UPS, Line Interactive, 3kVA, Lithium-ion, Rackmount 2U, 120V, 2x NEMA 5-20R+6x NEMA 5-15R outlets, SmartConnect Port+Network Card, AVR, LCD	SMTL3000RM2UCNC	Lindo Park	1	\$	\$
APC Smart-UPS, Line Interactive, 1500VA, Lithium-ion, Rackmount 3U, 120V, 6x NEMA 5-15R outlets,	SMTL1500RM3UC	Lindo Park	1	\$	\$

SmartConnect Port+SmartSlot, Short Depth, AVR, LCD					
APC Smart-UPS, Line Interactive, 3kVA, Lithium-ion, Rackmount 2U, 120V, 2x NEMA 5-20R+6x NEMA 5-15R outlets, SmartConnect Port+Network Card, AVR, LCD	SMTL3000RM2UCNC	Lemon Crest	1	\$	\$
APC Smart-UPS, Line Interactive, 1500VA, Lithium-ion, Rackmount 3U, 120V, 6x NEMA 5-15R outlets, SmartConnect Port+SmartSlot, Short Depth, AVR, LCD	SMTL1500RM3UC	Lemon Crest	1	\$	\$
APC Smart-UPS, Line Interactive, 3kVA, Lithium-ion, Rackmount 2U, 120V, 2x NEMA 5-20R+6x NEMA 5-15R outlets, SmartConnect Port+Network Card, AVR, LCD	SMTL3000RM2UCNC	Riverview	1	\$	\$
APC Smart-UPS, Line Interactive,	SMTL1500RM3UC	Riverview	1	\$	\$

1500VA, Lithium-ion, Rackmount 3U, 120V, 6x NEMA 5-15R outlets, SmartConnect Port+SmartSlot, Short Depth, AVR, LCD					
APC Smart-UPS, Line Interactive, 3kVA, Lithium-ion, Rackmount 2U, 120V, 2x NEMA 5-20R+6x NEMA 5-15R outlets, SmartConnect Port+Network Card, AVR, LCD	SMTL3000RM2UCNC	Lakeview	1	\$	\$
APC Smart-UPS, Line Interactive, 1500VA, Lithium-ion, Rackmount 3U, 120V, 6x NEMA 5-15R outlets, SmartConnect Port+SmartSlot, Short Depth, AVR, LCD	SMTL1500RM3UC	Lakeview	1	\$	\$
APC Smart-UPS, Line Interactive, 3kVA, Lithium-ion, Rackmount 2U, 120V, 2x NEMA 5-20R+6x NEMA 5-15R outlets, SmartConnect Port+Network	SMTL3000RM2UCNC	Lakeside Farms	1	\$	\$

Card, AVR, LCD					
APC Smart-UPS, Line Interactive, 1500VA, Lithium-ion, Rackmount 3U, 120V, 6x NEMA 5-15R outlets, SmartConnect Port+SmartSlot, Short Depth, AVR, LCD	SMTL1500RM3UC	Lakeside Farms	1	\$	\$
Installation and Other Miscellaneous Charges				\$	\$
Tax				\$	\$
Total				\$	\$

Please send any questions to Brian Beisigl at [bbeisigl@lsusd.net](mailto:bbeisigl@lsusd.net). All questions must be received no later than 2.00pm PST on January 2, 2026. Any questions received after that date and time will not be answered. Copies of the contract documents may be obtained on or after December 12, 2025 via request by email at [bbeisigl@lsusd.net](mailto:bbeisigl@lsusd.net) or visit our website at [www.lsusd.net](http://www.lsusd.net), under Departments>Business Services>Purchasing>Other Current Bids or on the USAC website of <https://www.usac.org/sl/> in the EPC portal.

The contract dates should be from July 1, 2026-September 30, 2027 with an option to install on or after April 1, 2026; USAC cannot be invoiced until after July 1, 2026. The District requests two one-year voluntary extensions and the SPI method for reimbursement.

The project herein is contingent upon the approval of funding from the Universal Service Fund’s Schools and Libraries Program, otherwise known as E-rate.

The District expects Service Providers to make themselves thoroughly familiar with any rules or regulations regarding the E-rate program. Service Providers are required to be in full compliance with all current requirements and future requirements issued by the SLD throughout the contractual period of any contract entered into as a result of this RFP.

Service Provider acknowledges that it is following FCC Order FCC 19-121, which bars the use of USF subsidies to fund equipment, components, and services from “covered” companies, their parents, affiliates and subsidiaries, deemed to be a national security risk.

If a Service Provider chooses to bid another manufacturer than is preferred, please provide supporting documentation with your bid response demonstrating its functional equivalency.

Vendor shall certify that it is a Manufacturer Authorized Channel Partner as of the date of the submission of their offer, and that it has the certification/specialization level required by Manufacturer to support both the product sale and product pricing, in accordance with the applicable Manufacturer certification/specialization requirements.

Unless otherwise specified, Vendor shall warrant that the products are new, in their original box. The Vendor confirms to have sourced all Manufacturer products submitted in this offer from Manufacturer or through Authorized Channels only, in accordance with all applicable laws and policies at the time of purchase.

Vendor shall provide the District with a copy of the End User license agreement and shall warrant that all Manufacturer software is licensed originally to the District as the original licensee authorized to use the Manufacturer Software.

In the event there are questions pertaining to the validity of the products, the District reserves the right to verify the origin of the products with the manufacturer. In the event the products have been acquired from un-authorized channels, the District further reserves the right to reject the Vendor bid and/or return the products for a full refund.

Bid Selection Criteria will be based on Cost (50 points), Methodology and Service Level - cost of change, technology, billing capabilities, account support team (25 points), Experience, Financial soundness, experience with District or references (20 points), Experience with the E-rate program (5 points).

Company Name: \_\_\_\_\_ Contact: \_\_\_\_\_

SPIN: \_\_\_\_\_

Address: \_\_\_\_\_ Phone #: \_\_\_\_\_

Email Address: \_\_\_\_\_ Fax: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Signature

Date